

PRODUCT SPECIFICATION



MANUFACTURE



FACILITY



HEAT TRANSFER FILM

MS MS KOREA



SILK SCREEN PRINT



DIGITAL PRINT



LASER / CAD CUT



WE PROVIDE TOTAL SOLUTION FOR HEAT TRANSFER APPLICATION

MS MS KOREA

1. Technical Data Sheet

MS-600D Series (3D (Thick) PU FLEX)

- Description

- Item Code : MS-600D Series
- Color : 18 colors
- Thickness : 550-600 μ m
- Performances : Cuttable 3D PU flex film
- CUTTING : LASER-CUT & CAD-CUT



- ★ Perfect cutting performance
- ★ No protective liner attached
- ★ Soft touch
- ★ Sticky PET carrier type
- ★ High volume texture

- Heat Press Condition



Cold Peel

- 1st Step : 150°C, 5 seconds from face side
- 2nd Step : 150°C, 10-15 seconds from back side, cool down and peel off carrier
- Mid-high pressure – 4 bar (56psi, 4.0kgf/cm²)

※ As it is a thick film, it's needed to heat press 2 times as advised

- Washing Performance



- Temperature : 40°C
- Cycles : 25 times (home washing machine)

- Package information

- MOQ : 50cmx25M – 2 rolls in a carton
- Gross weight : 19kg (1 carton)

- Storage

- Store away from direct sunlight and humidity (better in dry area)
- Recommend to use within 1 year from the date of delivery



WE PROVIDE TOTAL SOLUTION FOR HEAT TRANSFER APPLICATION

MS MS KOREA

2. PRODUCT APPLICATION

MS-600D Series (3D (Thick) PU FLEX)



MS-605D / BLACK



MS-606D / WHITE



MS KOREA CO.,LTD.

Add. : 24, 682 Beon-Gil, Sansu-Ro, Chowol-Eup,
GwangJu-Si, Gyeonggi Do, South Korea (12730)

Tel. : +82 (0)31 798 8593

Fax. : +82 (0)31 798 8597

E-mail : ms@ms-korea.co.kr

Web: <http://ms-korea.co.kr>



WE PROVIDE TOTAL SOLUTION FOR HEAT TRANSFER APPLICATION

MS KOREA